

AC 200

Cummins
Mecc Alte
P 602



ISO8528
SZUTEST
CE


2000/14/EC
 &\$\$\$#(#
 z) \$ z'z' D:

	kw	Amp
400/230	200,00	259,00

fP GDE' ... GC ;) &
 fDF DE' ... GC' \$(**
) & z % \$! % % & % GC' \$(**

Standard Specifications

- Water cooled, Diesel engine
- Radiator with mechanical fan
- Protective grille for rotating and hot parts
- Electric starter and charge alternator
- Starting battery (with lead acid) including rack and cables
- Engine coolant heater
- Base frame design incorporates an integral fuel tank and anti-vibration isolators
- Flexible fuel connection hoses
- Single bearing, class H alternator
- Industrial exhaust silencer and steel bellows supplied separately(for open sets)
- Static battery charger
- Manual for application and installation
- Generators Sets' voltage and frequency regulation comply with ISO 8528-5
- Generators Sets' can take 100% load at one step according to NFPA110



AC 200

Cummins
Mecc Alte
P 602

Manufacturer		Cummins		
Model		6CTA 8,3-G2		
		% \$ \$	"# "	
		180,00 kw [241,00HP]		
	L	8,300		
	"	114 x 135		
		16,8:1		
	fl # ı	"# "	1500	
	fl ı	L	23,80	
		L	27,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	12,36		
	' # "	142,00		
fl ' # ı	' # "	34,68		
	° C	563,00		
		24 V d.c.		
	Load	% \$ \$ı	'+)ı) \$ı
	# "	40,00	30,00	20,00

		Mecc Alte		
		ECO 38-1SN		
	Hz	50		
	"	180,00		
7 cg		0,80		
		3		
	fl ı	400/230		
Temperature		H		

		fl ı		fl ı	
	"	"	"	"	L
AC 200	1670,00	2375,00	1150,00	1594,00	380,00
		fl ı		fl ı	
	"	"	"	"	L
AK 50	2100,00	3400	1217	1938	380

AC 200

Cummins
Mecc Alte
P 602

1 Dış Görünüşü



- 1 A U]b'gUhi g'X]gd'Umı
- 2 8]gd'UmglVc"Vi hrcb"
- 3 DU[Yf]bz:fa U]cbkVi hrcb"
- 4 7ca a cb U'Ufa]bX]WUrcf"
- 5 GHUhi g'@98fıg"
- 6 C dYfU]cb'gY'YVW]b['Vi hrcbg"

8G9ža cXY**\$\$5i hc A U]bg: U]i fy Vëbfc" a cXi Y"
6UHYfmVUf[Yf]bdi h%, !&* (j c'hžci rdi h" &+ž' J) '5'f&(J Ecf% ž' J c'h) 5'f&J k
9a Yf[YbVhrcd' di g\ 'Vi hrcb'UbX ž' gYg ž'f Vëbfc' V]fV Jıg"

7ca dcbYbrıg]bgU"YX]b'g\YYhgHY"YbWcgi fy" D\cgd\UfY WYa]WždfY!VëU]b['cZghYY'dfcj]XYg Vëffcg]cb
fyg]hUbhgi fZUW" Dc'mYgYfVëa dcg]Y' dck XYf' hcdVëUhž:fa g\] ['cgg'UbX'YI hYa Y'mXi fUY' Z]b]g\ "'@cV\UVY
UbX\]b[YX dUby' Xccf' dfcj]XYg YUgmUWV'gg hc' Vëa dcbYbrıg"

'7cbfc" dUbY"]g'a ci bHYX'cb VUgYZUa Y k]h' ghY" ghUbX"'@cW]YX' UhihY' f] [\hig]XY' cZİhY [YbYfUrcf' gyhfK \Yb'nci
'cc_ UhihY; Yb"GYH'Zca '5'YfbUrcf k

H\Y"8G9**\$\$]g'U'ghUbXUfX Vëbfc" a cXi Y'žfc'i f [YbYfUrcf'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Ug VYYb'XYg]] bYX'hc
ghUfhUbX'ghcd'X]YgY' UbX' [Ug[YbYfUrcf'gYhg]"H\Y'8G9**\$\$ a cXi Y\Ug'VYYb'XYg]] bYX'hc' a cb]rcf [YbYfUrcf
ZYei YbVhžj c'bzW'ffYb]Yb[]bY'c' d'fYggi fyžVëc'UbhiYa dYfUhi fy' fi bb]b[\ci fg'UbX' VUHY'fmj'c'ıg]"A cXi Y'
a cb]rcfg'hY'a U]bg'gi dd'imUbX'gk]W' c] Yf'hc' hY' [YbYfUrcf'k \Yb'hY'a U]bg'dck Yf'ZU]g]"H\Y'8G9**\$\$ U'gc
]bX]W]Yg'cdYfU]cbU'ghUhi g'UbX'Zİi' hVëbX]h]cbgž'5i hca U]W'mg\i h]b['Xck b'hY; Yb"GYhUbX' []]b['hfi Y'Zfghi d
Zİi' hVëbX]h]cb'cZ; Yb"GYhZU]i' fy" H\Y'@78 X]gd'Um]bX]W]Yg'hY'Zİi' h'

A]WëdcfW'ggcf' Vëbfc"YX"
@78 X]gd'Uma U_Yg]bž:fa U]cb YUgmhc' fYUX"
(!]bYž*(1 % &d] Y' X]gd'Umı
5i hca U]W'mifUbgZ'fg VYh YYb'a U]bg'fi h]hrc'UbX' [YbYfUrcf' dck Yf"
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY"
I gYf]Z]YbX'mgYhi d'UbX'Vi hrcb"Unci h'
F Ya cHY'ghUfıh'
9j Ybh'c []]b['f] hç\ck]b['XUHY'UbX'ıha Y"
7cbfc'g' Ghcd#F YgYž'A Ubi U'ž5i hçžHYg]žGHUf]žVi hrcbg"5b'UXX]h]cbU'di g\ 'Vi hrcb'byI hrc' hY'@78 X]gd'Um]g
i gYX'hc'gVc" h'fc'i [\ hY'a cXi Y'gfa YHYf]b['X]gd'Umg"

AC 200

Cummins
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghd"
@ck #:[\] [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gUff"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' hf]dL
@c'WV'gYhf]b['dUfUa YHfg'UbX'a cb]hc'f]b['Zca 'D7' hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYfm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg' 'Yei]da Ybh
6G'9B '*%\$ \$! *! & 9A 7 'ja a i b]mighUbXUfX"
6G'9B '*%\$ \$! *! ('9A 7 'Ya]gg]cb' ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]hVW]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\] [\ YZ]VW'YbVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWVf]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z'] 'Zcf'%&j'c'hUbX'&+Z'] 'Zcf'&'('] "
#bdi h% , ' ! &* (j c'h57 "' Dfc]bY' &(\$) \Ug'Z' "mici hdi hg\chVW]VW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'VW'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf'\Ug'\] [\ YZ]VW'YbVW'cb["]Z'Z' "ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' "ck \ YUhfUX]UfYX']b
UVV'cfXUbW'k]h' "]bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]hYX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]hYf'hc' fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]VW' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW' m(_J 'Zcf'\] [\ fY']UV]]m'

AC 200

Cummins
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1217
fl "L	"	3400
'fl "L	"	1938
	L	380