

APD 215 WD

Aksa
Aksa P 4



SZUTEST GC - \$\$\$

CE

z) \$ z' \$z 'D:

	"	"	"	"	Amp
400/230	215,00	172,00	195,00	156,00	281,00

f9GDE GC ,) & fDF D% \$! % %& GC " \$(** z&(GC

Standard Specifications

(* # \$ \$ s fl ! E z z

1

ALTERNATOR

1

1

TRANSFER SWITCH

1


APD 215 WD

Aksa
Aksa P 4

Manufacturer		Aksa
Model		WD615.68D
		% \$ \$ " # "
		% + " "
		(%) \$ < DQ
	L	9,72
	"	126 X 130
		15,5:1
	fl # 7	"# "
	L	19,00
	L	38,00
AbsorbedAirDischargeReSourceKey.Text	' # "	19,00
	' # "	260
fl ' # "7	' # "	38,00
	° C	560
		24 V d.c.
	Load	%%\$1
	# "	
		42,00

		Aksa
	Hz	50
7cg		0,80
		3
	fl 7	400/230

		fl "7		fl "7	
	"	"	"	"	L
APD 215 WD	2510	2900	1150	2000	420
		fl "7		fl "7	
	"	"	"	"	L
ASM 7	3230	4000	1210	2000	420



APD 215 WD

Aksa
Aksa
P 4

1



	"	1210
fl "L	"	4000
fl "L	"	2000
		420