

AJD 90

John Deere
Mecc Alte
P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC	&\$\$\$#(#
	z) \$ z'z' D:

	"	"	"	"	Amp
400/230	90,00	72,00	80,00	64,00	116,00

fP GDE	GC ;) &
) & z	fDF DE %s1 % %& GC " \$(** z&(GC

Standard Specifications

z	
fl ! E	
z	
z	

1

ALTERNATOR	fl " E
	fl " ! " \$ E

TRANSFER SWITCH

--	--

AJD 90

John Deere
Mecc Alte
P 602

1

Manufacturer		John Deere		
Model		4045 T		
		% \$ \$	"# "	
		' \$ \$	"	
		000 \$ \$	< DQ	
	L	4,500		
	"	106 X127		
		17:1		
	fl # ı	"# "	1500	
	fl ı	L	13,20	
		L	32,00	
Absorbed Air Discharge ReSourceKey.Text	' # "	6,10		
	' # "	159,00		
	' # "	13,60		
	° C	600,00		
		12 V d.c.		
	Load	% \$ \$ı	'+)ı) \$ı
	# "	23,00	16,50	11,80

2

		Mecc Alte		
		ECP 34-1S/4		
	Hz	50		
	"	85,00		
7 cg'		0,80		
		3		
	fl ı	400/230		
	A	122,00		
Temperature		H		

3

		fl ı		fl ı	
	"	"	"	"	L
AJD 90	1120,00	2150,00	1050,00	1459,00	240,00
		fl ı		fl ı	
	"	"	"	"	L
AK 40	1470	3100	1057	1670	240

AJD 90

John Deere
Mecc Alte
P 602

1 D * \$ & ! ' "



- 1 A U]b' gHUi g'X]gd'Um'i
- 2 8]gd'Um]gVfc''Vi Hrcb''
- 3 DU[Yf]bZc:fa UHjcbE'Vi Hrcb''
- 4 7 ca a cb U'Ufa]bX]WUrcf''
- 5 GHUi g'@98fj''
- 6 C dYfU]hcb'gY'YVW]b['Vi Hrcbg''

8G9ža cXY''\$&\$'5i hc'A U]bg: U]i fy Vëbfc''a cXi 'Y'
6UHVfmVUf[Yf']bdi h%, !&*(j c'hžci rdi h''&+ž' J) '5'f&(J Ecf'% ž' J c'h) 5'f&J E
9a Yf[YbVhrcd'di g\ 'Vi Hrcb'UbX ž' gYg ZcfVëbfc''V]fV]rg''

7 ca dcbYbrg]b]ghU''YX]b'g\YYhgHY''YbWc]i fy''D\cgd\UfY'WYa]WždfY!VëU]b['cZghYY''dfcj]XYg Vëffcg]cb
fYg]ghb]hgi fZUW''Dc'mYgYfVëa dcg]Y' dck XYf'rcdVëU]hZc:fa g\ \ ['cgg'UbX'Yi HYa Y'mXi fUV'Y ž]b]g\''@cV\UV'Y
UbX\]b[YX'dUbY'Xccf'dfcj]XYg YUgmUWV]gg'hc''Vëa dcbYbrg''

'7 cblfc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y'k]h' ghY''ghUbX''@cW]HYX'U]h\Y'f][\hg]XY'cZ\Y [YbYfUrcf'gYhfK \Yb'nci
'cc_'U]h\Y'; Yb''GYH'Zca '5'fYfbUrcfE

HV''8G9''\$&\$'j]g'U'ghUbXUfX'Vëbfc''a cXi 'Y'Zcf'ci f [YbYfUrcf'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Uj Y'VYYb'XYg][bYX'hc
ghUf]hUbX'ghcd'X]YgY'UbX' [Ug[YbYfUrcf'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUrcf
Z]Yei YbVhžj c'ž'W'fYb]hZ]b[]b'Y'c]'dfYggi fYžVëc'Ub]hYa dYfU]h'fY'fi bb]b[\ci fg'UbX'VU]HY'fmj'c'hg''A cXi 'Y
a cb]rcf'g'h\Y'a U]bg'gi dd'mUbX'gk]H\W'c] Yf'hc'h\Y' [YbYfUrcf'k \Yb'h\Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]W]HY'g'cdYfU]hcbU'ghUi g'UbX'Z]i 'hVëbX]h]cbgž'5i hca U]h]W'm]g\i H]b['Xck b'h\Y'; Yb''GYhUbX' []]b['f]i Y'Z]fghi d
Z]i 'hVëbX]h]cb'cZ; Yb''GYhZ]i'fY''H\Y'@7 8'X]gd'Um]bX]W]HY'g'h\Y'Z]i 'H'

A]WëdfcW'ggcf'Vëbfc''YX"
@7 8'X]gd'Uma U_Yg]bZc:fa U]h]cb'YUgm]rc'fYUX"
(!']bYž*(1 '% &d]]Y'X]gd'Um'i
5i hca U]h]W'm]fU]bgZ]fg'VYh'YYb'a U]bg'fi H]h]rc'UbX' [YbYfUrcf'dck Yf'
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'm]gYH'i d'UbX'Vi Hrcb''U]nci H'
: fcbhdUbY'dfc[fUa a]b["
F Ya cHY'ghUf]f'i
9j Ybh'c[[]b['f]f]g\çk]b['XUfY'UbX'h]a Y"
7 cblfc'g' Ghcd#F YgYhZ'A Ubi U'ž'5i hcžHYghZ'GHUf]f'Vi Hrcbg''5b'UXX]h]cbU'di g\ 'Vi Hrcb'bYi hrc'h\Y'@7 8'X]gd'Um]g
i gYX'hc'gVfc''h'fci [\h\Y'a cXi 'Yg]fa YH]f]b['X]gd'Um]g''

AJD 90

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghd"
@ck #:[\] [YbYfUhc'f'j c' hU[Y"
I bXYf#j Yf[YbYfUhc'f'Z'Yei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gUff"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f'Z'Yei YbVW"
I bXYf#j Yf[YbYfUhc'f'j c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f'j YfW'ffYbh"


: 'Yi J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'W'gYh]b['dUfUa YH'fg'UbX'a cb]h'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh
6G'9B '*%\$!*&9A 7 'ja a i b]migtUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX"

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\] [\ YZ]VbYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWVf]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z'] 'Zcf'%&j c'hUbX'&+Z'] 'Zcf'&'('] "
#bdi h% , ' !&* (j c'h57 "' Dfc]bY'&(\$) \Ug'Z' 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf\Ug\] [\ YZ]VbYVW'cb["]Z'Z' 'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' 'ck \ YUhfUX]UfYX']b
UVV'cfXUbW'k]h']bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z'hYX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VY'hk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW'm(_J 'Zcf\] [\ fY']UV]]h'f

AJD 90

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1057
fl "L	"	3100
fl "L	"	1670
	L	240