

APD 43 C

Cummins
Akxa
P 602



SZUTEST

GC - \$\$%

2000/14/EC

&\$\$\$(/ #

z) \$' z' \$z 'D:

	"	"	"	"	Amp
400/230	43,00	34,40	39,00	31,20	56,00

fPGDL'

'GC (,) &

) & z

fDF DL'

% %&

'GC' \$(**

z&(

'GC

Standard Specifications

z

fl

!

z

ALTERNATOR

TRANSFER SWITCH

APD 43 C

Cummins
Aksa P 602




Manufacturer		Cummins						
Model		4BT3,9-G2						
		<table border="1"> <tr> <td>%\$ \$' "# "</td> <td></td> </tr> <tr> <td>(\$Z\$ \$' "</td> <td></td> </tr> <tr> <td>Q (\$ \$ < DQ</td> <td></td> </tr> </table>	%\$ \$' "# "		(\$Z\$ \$' "		Q (\$ \$ < DQ	
%\$ \$' "# "								
(\$Z\$ \$' "								
Q (\$ \$ < DQ								
	L	3,900						
	"	102 x 120						
		17,3:1						
	fl # 7	"# " 1500						
	fl 7	L 11,00						
		L 19,20						
AbsorbedAirDischargeReSourceKey.Text	' # "	2,70						
	' # "	120,00						
fl ' # 7	' # "	6,50						
		24 V d.c.						
	Load	%%\$ \$1						
	# "							
		9,30						

		Aksa
		AK232
	Hz	50
	"	40,00
7cg		0,80
		3
	fl 7	400/230

		fl 7		fl 7	
	"	"	"	"	L
APD 43 C	860,00	1860,00	900,00	1380,00	154,00
		fl 7		fl 7	
	"	"	"	"	L
ASM 4A	1240.00	2500	970	1560	154

D * \$ & !



- 1 A U]b'ghUhi g'X]gd'Un'i
- 2 8]gd'UmigVc''Vi hrcb"
- 3 DU[Yf]bZcfa U]cbL'Vi hrcb"
- 4 7 ca a cb'U'Ufa ']bX]V]hrcf"
- 5 GHUhi g'@98g]
- 6 CdYfU]cb'g'YV]b['Vi hrcbg"

APD 43 C

Cummins
Aksa P 602



- 1 8G9ža cXY**&&\$5i hc'A U]bg: U]i fy'Včbfc'a cXi 'Y"
6UHYfmVXUf[Yf'jodi h%, !&*(j c'hžci hdi h'&+ž'J') '5'f&(J'čcf% ž'J'c'h) 5'f&J ž
9a Yf[YbVhghcd'di g\ Vi hčb'UbX'Z'gYg'Z'f'Včbfc'`WfVW]hg'
 - 2 7ca dcbYbtrg]bgfU'YX'j'bg\YYhgHY'YbWčgi fy"D\cgd\UHY'VWYa]W'ždfY!VčUhb['cZghY'`dfcj]XYg'Včffcg]cb
fyg]ghUbhgi fZJW'Dc'mYgYfVča dcg]HY'dck XYf'hdVčUhcZfa g'\ ['cgg'UbX'Yi hfYa Y'mXi fUVY'Z]bg\''@cW\UVY
UbX'\]b[YX'dUbY'Xccf'dfcj]XYg'YUgmiUWVgg'hc'Vča dcbYbtrg"
 - 3 7cbf'c'dUbY'jg'a ci bHYX'cb'VUgYZUa Y'k]h'ghY'ghUbX''@cW]HYX'UhHAY'f[\hg]XY'cZHAY [YbYfUčf'gYhfK \Yb'mci
'cc_'UhHAY; Yb"GYH'Zca '5'HYfbUčfč
 - 4 HAY'8G9'*\$&\$]g'U'ghUbXUfX'Včbfc'a cXi 'Y'Z'f'ci f[YbYfUčf'gYhg'i d'hc'&\$\$_J'5'UbX'ih\Uj'Y'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX'[Ug[YbYfUčf'gYhg"HAY'8G9'*\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]čf[YbYfUčf
Z]Yei YbVhž] c'hžW'fYbžYb[]bY'c]'dfYggi'fYžVčc'UbhHYa dYfUhi'fY'fi bb]b[\ci fg'UbX'VUHYfmj'c'hg'"A cXi 'Y
a cb]čf'g'hAY'a U]bg'gi dd'mUbX'gk]hW'cj Yf'hc'hAY [YbYfUčf'k \Yb'hAY'a U]bg'dck Yf'Z]g'"HAY'8G9'*\$&\$'U'gc
]bX]W]HYg'cdYfU]cbU'ghUhi'g'UbX'Z]i'hVčbX]hčbgž5i'hc'a U]W]mg'vi h]b['Xck b'hAY; Yb"GYhUbX[]j]b['hfi Y'Z]fghi d
Z]i'hVčbX]hčb'cZ; Yb"GYhZ]i'fY"HAY '@78'X]gd'Um]bX]W]HYg'hAY'Z]i'f'
- A]WčdfcW'ggcf'Včbfc'`YX"
@78'X]gd'Uma U_Yg]bZ'fa U]hčb'YUgmhc'fYUX"
(!]bYž*('1' % & d]]Y'X]gd'Um'
5i'hc'a U]W]m]fUbgZ]f'g'VYh'YYb'a U]bg'fi h]m]k'UbX [YbYfUčf'dck Yf"
A Ubi U'`dfc[fUa a]b['cb'Z'cbhdUbY"
I'gYf]Z]YbX'mgYH'i d'UbX'Vi hčb'`Učci'f'
'fcbhdUbY'`dfc[fUa a]b["
F Ya cY'ghUfH'
9j Ybhi'c[]]b['f%\$tg\ck]b['XUHY'UbX'h'a Y"
7cbf'c'g'Ghcd#f'YgYhž'A Ubi U'ž5i'hcž'HYghž'GHUfž'Vi hčb'g'"5b'UXX]hčbU'di g\ Vi hčb'bYi hč'hAY '@78'X]gd'Um]g
i'gYX'hc'gWč'`h'fci [\ hAY'a cXi 'Y'gf'a YHYf]b['X]gd'Um'g"

APD 43 C

Cummins
Aksa P 602



9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUV'Y hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] 'hc' ghcd"
@ck #][\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gHfH
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f j YfW ffYbh"

: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' hf'dL
@c'W' gYh]b['dUfUa YHfg'UbX'a cb]hc'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg' 'Yei]da Ybh'
6G'9B '*%\$!*&9A 7 'ja a i b]mighUbxUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbxUfX"

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]hVW]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbx'ih\Ug \] [\ YZ]VbYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWVf]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z'] 'Zcf'%&j c'hUbX' &+Z'] 'Zcf'&' (' "
#bdi h% , ' ! &* (j c'h57 "' Dfc']bY' &(\$) \Ug'Z 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY i gYX'Ug'U'W'ffYbhgci fVW"
Dfc']bY' %&\$) #&(\$) VUf[Yf \Ug \] [\ YZ]VbYVW'cb[']Z'Z' 'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' 'ck \ YUhfUX]UfYX']b
UVV'cfXUbW'k]h']bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]hYX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVWVUf[Y'Z]
fY'UmV'c'] VYhk YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\YmUfY'Yei]ddYX'k]h' F: =Z]hYf'hc' fYXi VV'Y'YVW]VW' 'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW' m(_J 'Zcf \] [\ fY']UV]]h'

APD 43 C

Cummins
Akso
P 602



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 Base frame -fuel tank.
- 9 Lifting Points.
- 10 sound proofing materials.

	"	970
fl "L	"	2500
fl "L	"	1560
	L	154