

AJD 200

John Deere
Mecc Alte
P 602



ISO8528	GC ;) &-				
SZUTEST	GC - \$\$\$%				
CE					

2000/14/EC

&\$\$\$#(#

z) \$' z' z' D:

	200,00	160,00	180,00	144,00	Amp
400/230					260,00

f0GDŁ

GC ;) &

fDF DŁ

z&(

GC " \$(**

Standard Specifications

z

fl ! E

z

z

1

fl

! ! ! ! !

! ! ! ! !

! ! ! ! !

ALTERNATOR

fl

! ! ! ! !

! ! ! ! !

! ! ! ! !

! ! ! ! !

! ! ! ! !

f0) \$\$\$ \$\$\$

fl !" \$ Ł

TRANSFER SWITCH

! ! ! ! !

AJD 200

John Deere
Mecc Alte
P 602

Manufacturer		John Deere		
Model		6068 H		
		% \$\$\$ "# "		
		% ' \$\$\$ "		
		Q() \$\$\$ < DQ		
	L	6,800		
	"	106 X127		
		17:1		
	fl # ı	"# "	1500	
	fl ı	L	32,00	
		L	36,50	
AbsorbedAirDischargeReSourceKey.Text	' # "	11,50		
	' # "	252,10		
	' # "	32,90		
	° C	603,00		
		12 V d.c.		
	Load	% \$\$ı	'+)ı) \$ı
	# "	41,00	31,30	20,50

		Mecc Alte		
		ECO 38-1SN		
	Hz	50		
	"	180,00		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	259,00		

		fl ı		fl ı	
	"	"	"	"	L
AJD 200	1570,00	2392,00	1150,00	1521,00	380,00
		fl ı		fl ı	
	"	"	"	"	L
AK 50	1990	3402	1160	1866	380

AJD 200

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUhc''
- 5 GHUhi g'@98fg''
- 6 C dYfUhc'b'gY'YVW]b['Vi hrcbg''

8G9ža cXY''\$&\$'5i hc'A U]bg': U]i fy Vëbfc''a cXi 'Y'
6UHYfmVUf[Yf]bdi h%, !&*('j c'hžci rdi h''&+ž' J) '5'f&('J Ecf'% ž 'J c'h) 5'f&J k
9a Yf[YbVhrcd'di g\ 'Vi hrcb'UbX ž gYg Zc'fVëbfc''V]fV]rg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]WždfY!VëUhb['cZghYY''dfcj]XYg Vëffcg]cb
fyg]ghbghi fZUW''Dc'mYgYfVëa dcg]Y' dck XYf'rcdVëUhZcfa g\][\ ['cgg'UbX'YI fYa Y'mXi fUV'Y ž]b]g\''@cV\UV'Y
UbX\]b[YX dUbY'Xccf'dfcj]XYg YUgmUWV'gg hc''Vëa dcbYbrg''

'7 cbfbc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@cWUHY'Uhih'Y f][\hg]XY'cZh'Y [YbYfUhc'f'gyhfk \Yb'nci
'cc_'Uhih'Y; Yb''GYH'Zca '5'fYfbUhc'fë

H\Y''8G9''\$&\$'j'U'ghUbXUfX Vëbfc''a cXi 'Y'Zc'f'ci f [YbYfUhc'f'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX'[Ug[YbYfUhc'f'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUhc'f
ZYei YbVhžj c'žW'fYbžYb[]bY'c']dfYggi fyžVëc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHYfmj c'hg''A cXi 'Y
a cb]rcf'g'h'Y a U]bg'gi dd'imUbX'gk]W'c] Yf'hc'h'Y [YbYfUhc'f'k \Yb'h'Y a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]WUHY'g'cdYfUhc'bU'ghUhi g'UbX'ZU'i h'VëbX]h'cbgž'5i hca U]W'mg\i h]b['Xck b'h'Y; Yb''GYhUbX'[]]b['fhi Y'žfghi d
ZU'i h'VëbX]h'cb'cZ; Yb''GYhZU]i fy''H\Y'@7 8'X]gd'Um]bX]WUHY'g'h'Y'ZU'i 'H'

A]WëdfcW'ggcf Vëbfc''YX"
@7 8'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX"
(!]bYž*('1 '% &d]]Y'X]gd'Um'

5i hca U]W'mifUbgZ'fg'VYk YYb'a U]bg'fi h]h'hc'UbX [YbYfUhc'f'dck Yf'
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'mgYhi d'UbX'Vi hrcb''Uhc'i h'
F Ya chY'ghUfH'
9j Ybh'c[[]b['f] h'g\ck]b['XUHY'UbX'h'a Y''
7 cbfbc'g' Ghcd#F YgYž'A Ubi U'ž5i hcžHYg]žGHUfžVi hrcbg''5b'UXX]h'cbU'di g\ 'Vi hrcb'bYI hrc'h'Y @7 8'X]gd'Um]g
i gYX'hc'gVfc''h'fci [\ h'Y'a cXi 'Ygfa YHf]b['X]gd'Umg''

AJD 200

John Deere
Mecc Alte
P 602

9B: 49
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] 'hc' ghd"
@ck #][\ [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c' UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gUff"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c' UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7' hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 V'ca dUfV]]hm6G'9B *\$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh
6G'9B *%\$ \$! *! & 9A 7]a a i b]mighUbxUfX"
6G'9B *%\$ \$! *! ('9A 7 Ya]gg]cb'ghUbxUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' gk]h'W]b[!a cXY'UbX'GA 8 H'VW'bc'c[mUbX'ih\Ug\][\ YZ]VW'YbVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g] YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']'Zcf'%&j'c'hUbX'&+Z']'Zcf'&'(]'
#bdi h% , ' ! &* (j c'h57 "" Dfc]bY' &(\$) \Ug'Z' mci hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY' %&\$) #&(\$) VUf[Yf\Ug\][\ YZ]VW'YbVW'cb["]Z'Z' c'k Z]i fY'fUfYz'][\hk Y][\hUbX' c'k \YUhfUX]UfYX']b
UVV'cfXUbW'k]h']'bYUf'U'HYfbU]h] Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk YYb'dcg]h] Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]Hf'hc' fYXi VV'Y'YVW]VW' bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW'm(_J'Zcf'\][\ fY']UV]]m'

AJD 200

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1160
fl "L	"	3402
'fl "L	"	1866
	L	380