

# AJD 132

John Deere  
Mecc Alte  
P 602



<b>ISO8528</b>	...	...	...	...	...	GC ; ) &-
<b>SZUTEST</b>	...	...	...	...	...	GC - \$\$\$%
<b>CE</b>	...	...	...	...	...	

**2000/14/EC**

&\$\$\$#( #

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	132,00	105,00	120,00	96,00	173,00

fPQDE' GC ; ) & "

fDF DE %s1 % %& GC " \$(\*\* z&( GC

**Standard Specifications**

z

fl ! E

z

z

**1**

fl ! E

fl " E

fPQ \$\$\$ \$\$\$ E

fl " \$ E

**ALTERNATOR**

**TRANSFER SWITCH**

# AJD 132

John Deere  
Mecc Alte  
P 602

Manufacturer		John Deere		
Model		6068 T		
		% \$ \$ ' "# "		
		%&%' \$ \$ ' "		
		0% & Z \$ \$ < DQ		
	L	6,800		
	"	106 X127		
		17:1		
	fl # ı	"# "	1500	
	fl ı	L	17,00	
		L	35,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	7,00		
	' # "	159,00		
	' # "	18,60		
	° C	584,00		
		12 V d.c.		
	Load	% \$ \$ ı	'+) ı	) \$ ı
	# "			
		26,70	20,20	14,00

		Mecc Alte		
		ECP 34-1L/4		
	Hz	50		
	"	130,00		
7 cg'		0,80		
		3		
	ıfl ı	400/230		
	A	187,00		

		ıfl ı		ıfl ı	
	"	"	"	"	L
AJD 132	1440,00	2300,00	1150,00	1504,00	380,00
		ıfl ı		ıfl ı	
	"	"	"	"	L
AK 50	1860	3400	1217	1938	380

# AJD 132

John Deere  
Mecc Alte  
P 602

## 1 D \* \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[ Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7ca a cb U'Ufa ]bX]WUrcf''
- 5 GHUhi g'@98fj''
- 6 C dYfU]hcb'gY'YVW]b[ 'Vi hrcbg''

8G9ža cXY''\$&\$'5i hc A U]bg: U]i fy Vëbfc''a cXi Y''  
6UHYfmVUf[ Yf]bdi h%, !&\*( 'j c'hžci rdi h''&+ž' J ) '5'f&( 'J Ecf'% ž 'J c'h) 5'f&J k  
9a Yf[ YbVhrcd'di g\ 'Vi hrcb'UbX ž gYg ZcfVëbfc''V]fV]jg''

7ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa ]WždfY!VëU]b[ 'cZghYY''dfcj ]XYg Vëffcg]cb  
fYg]ghUbhgi fZUW''Dc'mYgYfVëa dcg]Y' dck XYf'rcdVëUhZcfa g\][ \ [ 'cgg'UbX'YI fYa Y'mXi fUV'Y ž]b]g\''@cW\UV'Y  
UbX\]b[ YX'dUbY'Xccf'dfcj ]XYg YUgmUWV]gg'hc''Vëa dcbYbrg''

'7cbfcd'UbY''j]g'a ci bHYX'cb VUgYZUa Y k ]h' ghY''ghUbX''@cW]HYX'Uhih'Y f][ \hig]XY'cZh'Y [ YbYfUrcf'gyhfk \Yb'mci  
'cc\_'Uhih'Y; Yb''GYH'Zca '5'fYfbUrcfë

H\Y''8G9''\$&\$]g'U'ghUbXUfX'Vëbfc''a cXi Y'Zcf'ci f [ YbYfUrcf'gYhg'i d'hc'&\$\$\_J 5'UbX'ih\Ug'VYYb'XYg][ bYX'hc  
ghUfhUbX'ghcd'X]YgY'UbX'[ Ug[ YbYfUrcf'gYhg''H\Y'8G9''\$&\$'a cXi Y'\Ug'VYYb'XYg][ bYX'hc'a cb]rcf [ YbYfUrcf  
Z]ei YbVhžj c'žW'fYbžYb[ ]bY'c' d'fYggi fYžVëc'UbhiYa dYfUhi fy'fi bb]b[ \ci fg'UbX'VUHYfmj'c'hg''A cXi Y'  
a cb]rcf'g'h'Y a U]bg'gi dd'imUbX'gk ]W'c] Yf'hc'h'Y [ YbYfUrcf'k \Yb'h'Y a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'Ugc  
]bX]W]Yg'cdYfU]hcbU'ghUhi g'UbX'Z]i 'hVëbX]hcbgž'5i hca U]W'mg\i h]b[ 'Xck b'h'Y; Yb''GYhUbX'[ ] ]b[ 'fhi Y'žfghi d  
Z]i 'hVëbX]hcb'cZ; Yb''GYhZ]i fy''H\Y'@7 8'X]gd'Um]bX]W]Yg'h'Y Z]i 'h'

A ]WëdfcW'ggcf'Vëbfc''YX''  
@7 8'X]gd'Uma U\_Yg]bZcfa Uhjcb'YUgmhc'fYUX''  
(!]'bYž\*( '1'% &d] Y'X]gd'Um'

5i hca U]W'mifUbgZ]fg'VYk'YYb'a U]bg'fi h]h'hc'UbX [ YbYfUrcf'dck Yf''  
A Ubi U'dfc[ fUa a ]b[ 'cb'ZcbhdUbY''  
I gYf]Z]YbX'mgYhi d'UbX'Vi hrcb''Urci h'  
F Ya chY'ghUf'

9j Ybh'c[ [ ]b[ 'f] h'g\ck ]b[ 'XUHY'UbX'h'a Y''  
7cbfcd'g' Ghcd#F YgYž'A Ubi U'ž5i hcžHYg]žGHUf]žVi hrcbg''5b'UXX]hcbU'di g\ 'Vi hrcb'bYI hrc'h'Y @7 8'X]gd'Um]g  
i gYX'hc'gVfc''h'fci [ \ h'Y'a cXi Y'gfa YHf]b[ 'X]gd'Umg''

AJD 132

John Deere  
Mecc Alte  
P 602

9B: #9  
9b[ ]bY'gdYYX"  
C]'dfYggi fY"  
7cc'UbhY'a dYfUhi fY"  
F i b' hja Y"  
6UHYfmj c'rg"  
7cbZ[ i fUVY' hja ]b[ "  
; 9B9F 5HCF  
J c' hU[ Y f@ @B' "  
7i ffYbhf@&!@ E"  
: fYei YbVW"  
A 5-BG  
J c' hU[ Y f@ @B' "  
: fYei YbVW"  
A U]bg'fYUXn"  
A U]bg'YbUV'YX"  
; Yb"GYhfYUXn"  
; Yb"GYhYbUV'YX"

K 5F B-B;  
7\Uf[ Y Z]i fY"  
6UHYfm@ck #:[ \ ] c' hU[ Y"  
: U] h' ghcd"  
@ck #:[ \ ] [ YbYfUhc'f] c' hU[ Y"  
I bXYf#j Yf[ YbYfUhc'f ZYei YbVW"  
Cj Yf# bXYf'gdYYX"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
G<I H8CK BG  
: U] h' ghUf"  
9a Yf[ YbVW'ghcd"  
@ck c]'dfYggi fY"  
<][ \ V'c'UbhY'a dYfUhi fY"  
Cj Yf# bXYf'gdYYX"  
I bXYf#j Yf[ YbYfUhc'f ZYei YbVW"  
I bXYf#j Yf[ YbYfUhc'f] c' hU[ Y"  
C]'dfYggi fY'gYbgcf'cdYb"  
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"  
9@97 HF =75@HF -D  
: YbYfUhc'f] YfW'ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k ]h' h'Ya dYfUhi fYz  
dfYggi fYz dYfVW'bhU[ Y f'k Ufb]b[ #]i h'Xck b# 'YVW'VW' h'f]dL  
@c'W'gYh]b[ 'dUfUa YHfg'UbX'a cb]h'f]b[ 'Zca 'D7 h'  
V'c'bfcc' a cXi 'Y'k ]h' I G6 V'c'bbYVW]cb'fa Ul '\* 'a H'

9'YVW]VW' GUZYhm#9A 7 V'c'a dUfV] ]hm6G'9B \*\$-) \$  
9'YVW]VW' Vi g]bYgg'Yei ]da Ybh'  
6G'9B \*%\$!\*&9A 7 ]a a i b]mighUbxUfX"  
6G'9B \*%\$!\*( '9A 7 Ya ]gg]cb'ghUbxUfX

'6UHYfmVUf[ Yf ]g'a Ubi ZVW' fYX'k ]h' gk ]h'W]b[ !a cXY'UbX'GA 8 H'VW'bc'c[ mUbX'ih\Ug\ ] [ \ YZ]VW'YbVW' 6UHYfmVUf[ Yf  
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'cgY' h'c'gei UfY'UbX'ci hdi h]g' ]'Ua dYfz% z' ]' Zcf'%&j' c'hUbX'&+Z' ]' Zcf'&'( ]'  
#bdi h% , ' !&\* ( j c'h57 "' Dfc]bY' &(\$) \Ug'Z' mci hdi hg\chVW]hdfchVW]cb'UbX'ihVWb VY i gYX'Ug'U'W'ffYbhgci fVW"  
Dfc]bY' %&\$) #&(\$) VUf[ Yf\Ug\ ] [ \ YZ]VW'YbVW'cb[ " ]Z'Z' c'k ZU]i fY'fUfYz' ] [ \ hk Y] [ \ hUbX' c'k \ YUhfUX]UfYX' ]b  
UWV'cfXUbW'k ]h' ]'bYUf'U'HYfbU]h'j Yg' H\Y' VUf[ Yf ]g' Z]h'YX'k ]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[ Y'Z]  
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei ]ddYX'k ]h' F: =Z]h'f' h'c' fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX  
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX' ]bdi hUbX'ci hdi h]m]d]VW'm( \_J' Zcf'\ ] [ \ fY' ]UV] ]h'f

# AJD 132

John Deere  
Mecc Alte  
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1217
fl "L	"	3400
fl "L	"	1938
	L	380