

AMT 33

Mitsubishi
Mecc Alte
P 602



ISO8528

GC ;) &-

SZUTEST

GC - \$\$\$



2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	kw	"	kw	Amp
400/230	33,00	26,40	30,00	24,00	43,00

fPGE

GC ;) &

) & z

fDF DE

%\$1

% %&

GC " \$(**

z&(

GC

Standard Specifications

- Water cooled, Diesel engine
- Radiator with mechanical fan
- Protective grille for rotating and hot parts
- Electric starter and charge alternator
- Starting battery (with lead acid) including rack and cables
- Engine coolant heater
- Base frame design incorporates an integral fuel tank and anti-vibration isolators
- Flexible fuel connection hoses
- Single bearing, class H alternator
- Industrial exhaust silencer and steel bellows supplied separately(for open sets)
- Static battery charger
- Manual for application and installation
- Generators Sets' voltage and frequency regulation comply with ISO 8528-5
- Generators Sets' can take 100% load at one step according to NFPA110

ALTERNATOR

TRANSFER SWITCH

AMT 33


Mitsubishi
Mecc Alte
P 602

Manufacturer		Mitsubishi
Model		S4S
		31,60 kw [42,40HP]
	L	3,330
	"	94 x 120
		22:1
	"# "	1500
	L	10,00
	L	20,70
		12 V d.c.
	Load	8,80
	# "	

		Mecc Alte
		PI 144G
	Hz	50
	"	30,00
7 cg		0,80
		3
		400/230
	A	43,00

AMT 33	630,00	1500,00	900,00	1150,00	70,00
AK 20	830,00	2100	960	1370	70

Detailed Description



- 1 A U]b'gUhi g'X]gd'Umf
- 2 8]gd'UmgyVc''Vi hrcb"
- 3 DU[Yf]bZcfa U]cbE'Vi hrcb"
- 4 7 ca a cb'U'Ufa]bX]V]hcf"
- 5 GHUhi g'@98g]"
- 6 C dYfU]cb'gY'YV]b['Vi hrcbg"

AMT 33

Mitsubishi
Mecc Alte
P 602

- 1 8G9ža cXY**&&\$5i hc'A U]bg: U]i fy'Včbfc`a cXi `Y"
6UHYfmVXUf[Yf`jodi h% , !&* (j c'hžci hdi h`&+ž`J`) '5 f&(J ěcf% ž` J c'h) 5 f&J ě
9a Yf[YbVhřhd`di g\ Vi hčb`UbX`Z gYg`Zcf`Včbfc`WfVW`jhg`
 - 2 7ca dcbYbřj`jbgfU`YX`j`b`g\YYhgHY`YbWčgi fy"D\cgd\UHY`VX`Ya`jW`ždfY!VčUhb[`cZghY`dfcj`jXyg`Včffcg]cb
fyg]g]Ubhgi fZjW`Dc`mYgYfVča dcg]Y`dck XYf`řcdVčUhfca g` \ [`cgg`UbX`Yi`řYa`Y`mXi`fUV`Y`Z]b]g\`@cW`UV`Y`
UbX`\]b[YX`dUbY`Xccf`dfcj`jXyg`YUgmUWVWgg`hc`Vča dcbYbřj`
 - 3 7cbfç`dUbY`j]g`a`ci`bHY`cb`VUgYZUa`Y`k`j]h`ghY`ghUbx`"@cW]HY`UhH`Y`f[\hg]XY`cZ`H`Y`[YbYfUčf`gYhfK` \Yb`mci`
`cc`_`UhH`Y` ; Yb`GYH`Zca`5`řYfbUčřč
 - 4 H\Y`8G9`*`&&\$`j`g`U`ghUbxUfX`Včbfc`a`cXi`Y`Zcf`ci`f`[YbYfUčf`gYhg`i`d`řc`&&\$`_`J`5`UbX`ih`Ug`VYyb`XYg][bYX`řc`
ghUfhUbx`ghčd`X]YgY`UbX`[Ug`[YbYfUčf`gYhg`H\Y`8G9`*`&&\$`a`cXi`Y`Ug`VYyb`XYg][bYX`řc`a`cb]řcf`[YbYfUčf`
Z]Yei`YbVřž`c`řZ`W`řYbřZ`Yb[]bY`c`]`dfYggi`řYžVčc`UbhřYa`dYfUhi`fy`fi`bb]b[\ci`fg`UbX`VUHYfmj`c`řg`A`cXi`Y`
a`cb]řcf`g`H`Y`a`U]bg`gi`dd`m`UbX`gk`j]W`cj`Yf`řc`H`Y`[YbYfUčf`k` \Yb`H`Y`a`U]bg`dck`Yf`Z]g`"H\Y`8G9`*`&&\$`U`gc`
]bX]W]HY`g`cdYfU]cbU`ghU`i`g`UbX`Z]i`hVčbX]j]cbgž`5i`řca`U]W]m`g`i`ř]b[`Xck`b`H`Y` ; Yb`GYH`UbX`[]j`]b[`ři`Y`Z]řghi`d`
Z]i`hVčbX]j]cb`cZ` ; Yb`GYH`Z]i`fy`H\Y`@7`8`X]gd`Um]bX]W]HY`g`H`Y`Z]i`ř`
- A]WčdfcWggcf`Včbfc`YX`
@7`8`X]gd`Uma`U`_`Yg`]b`Z`fa`U]j]cb`YUgmřc`řYUX`
(!`j]bYž`*`(`1`%`&`d]j`Y`X]gd`Umř`
5i`řca`U]j]W]m]řUbgZřfg`VYřk`YYb`a`U]bg`ři`ř]m]k`UbX`[YbYfUčf`dck`Yf`
A`Ubi`U`dfc`[f]Ua`a`]b[`cb`ZcbhdUbY`"
I`gYř]Z]YbX`mgYři`d`UbX`Vi`hčb`Učři`ř`
F`Ya`ch`ghUřř`
9j`Ybh`c`[]b[`řf`řg`čk`]b[`XUH`UbX`ř]a`Y`
7cbfç`g`Ghčd`#`řYgYřZ`A`Ubi`U`ž`5i`hčZ`HYgřZ`GHUřřZ`Vi`hčb`g`"5b`UXX]j]cbU`di`g` \ Vi`hčb`bYi`hč`H`Y`@7`8`X]gd`Um]g`
i`gYX`řc`gVčc`H`fci`[\`H`Y`a`cXi`Y`gř]a`Yřř]b[`X]gd`Um]g`

AMT 33

Mitsubishi
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] 'hc' ghcd"
@ck #][\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c' UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gHfH"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c' UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
I bXYf#j Yf [YbYfUhc'f j c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f j YfW ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7' hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]W' GUZYhm#9A 7 'V'a dU]V']hm6G'9B '* \$-) \$
9'YVW]W' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$!*&9A 7 'ja a i b]migtUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\][\ YZ]VYbVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWVf]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']'Zcf'%&j'c'hUbX'&+Z']'Zcf'&'(]'
#bdi h% , 'I'*('j c'h57'"'Dfc]bY'&(\$) \Ug'Z' mci hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf\Ug\][\ YZ]VYbVW'cb[]Z'Z'ck ZU]i fY'fUYZ'][\hk Y][\hUbX'ck \YUhfUX]UfYX']b
UVV'cfXUbW'k]h']'bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVWVUf[Y'Z]
fY'UmV'c] VYhk YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\YmUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]W'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW'; U] Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]d]W'm(_J'Zcf\][\ fY']UV']]m'

AMT 33

Mitsubishi
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Base frame -tank

	"	960
fi "L	"	2100
fi "L	"	1370
	L	70