

APD 110 C

Cummins
Akso
P 602



z) \$ z' \$z' D:					
	"	"	"	"	Amp
400/230	110,00	88,00	100,00	80,00	145,00

Standard Specifications

ALTERNATOR

TRANSFER SWITCH

APD 110 C

Cummins
Aksa P 602




Manufacturer		Cummins						
Model		6 BT 5,9-G2						
		<table border="1"> <tr> <td>%\$ \$' "# "</td> <td></td> </tr> <tr> <td>- &Z\$ \$' "</td> <td></td> </tr> <tr> <td>0%&' Z\$ \$< DQ</td> <td></td> </tr> </table>	%\$ \$' "# "		- &Z\$ \$' "		0%&' Z\$ \$< DQ	
%\$ \$' "# "								
- &Z\$ \$' "								
0%&' Z\$ \$< DQ								
	L	5,900						
	"	102 X 120						
		17,3:1						
	fl # 7	"# " 1500						
	fl 7	L 16,40						
		L 32,90						
AbsorbedAirDischargeReSourceKey.Text	' # "	6,50						
	' # "	136,00						
	' # "	16,80						
		24 V d.c.						
	Load	%\$ \$1						
	# "							
		22,00						

		Aksa
		AK480
	Hz	50
	"	100,00
7cg'		0,80
		3
	fl 7	400/230

		fl 7		fl 7	
	"	"	"	"	L
APD 110 C	1280,00	2150,00	1000,00	1470,00	195,00
		fl 7		fl 7	
	"	"	"	"	L
ASM 5	1700.00	3120	1070	1720	195

D * \$ & !'



- 1 A U]b'ghUhi g'X]gd'Un'i
- 2 8]gd'UmigVwc''Vi hrcb"
- 3 DU[Yf]bZcfa U]cbk'Vi hrcb"
- 4 7 ca a cb'U'Ufa ']bX]VUrcf"
- 5 GHUhi g'@98gij
- 6 CdYfU]cb'gY'YV]b['Vi hrcbg"

APD 110 C

Cummins
Aksa P 602



- 1 8G9ža cXY**\$\$5i hc'A U]bg: U]i fy'Včbfc`a cXi `Y"
6UHYfmVXUF[Yf`jodi h%, !&* (j c'hžci hdi h`&+ž`J`) `5 f&(J ěcf% ž` J c'h) 5 f&J ě
9a Yf[YbVhřtcd`di g\ Vi Hčb`UbX`Z gYg`Zcf`Včbfc`WfVW`jhg`
 - 2 7ca dcbYbřj]bgfU`YX`]b`g\YYhgHY`YbWčgi fy"D\cgd\UHY`VWYa]WždfY!VčUhb[`cZghY`dfcj]XYg`Včfcg]cb
fyg]g]Ubhgi fZUW`Dc`mYgYfVča dcg]HY`dck XYf`řcdVčUhcfa g` \ [`cgg`UbX`Yi HfYa Y`mXi fUVY`Z]b]g\`@cW\UVY
UbX`\]b[YX`dUbY`Xccf`dfcj]XYg`YUgmiUWVgg`hc`Vča dcbYbřj`
 - 3 7cbfç`dUbY`]g`a ci bHYX`cb`VUgYZUa Y`k]H`ghY`ghUbX`@cW]HYX`UhH`Y`f[\hg]XY`cZH`Y`[YbYfUčf`gYhfK` \Yb`mci
`cc`_`UhH`Y`; Yb`GYH`Zca`5`HYfbUčfç`
 - 4 H\Y`8G9`*`\$\$`]g`U`ghUbXUFX`Včbfc`a`cXi`Y`Zcf`ci`f`[`YbYfUčf`gYhg`i`d`hc`&\$\$`J`5`UbX`ih`Uj`Y`VYYb`XYg][`bYX`hc`
ghUfhUbX`ghcd`X]YgY`UbX`[`Ug`[`YbYfUčf`gYhg`H\Y`8G9`*`\$\$`a`cXi`Y`\Ug`VYYb`XYg][`bYX`hc`a`cb]řcf`[`YbYfUčf`
Z]YeI`YbVřž`c`řZ`W`fYbřZ`Yb[`]bY`c`]`dfYggi`fYžVčc`UbHfYa`dYfUhi`fY`fi`bb]b[`\`ci`fg`UbX`VUHfYfmj`c`řg`A`cXi`Y`
a`cb]řcf`g`H`Y`a`U]bg`gi`dd`mi`UbX`gk`]H`W`cj`Yf`řc`H`Y`[`YbYfUčf`k`\Yb`H`Y`a`U]bg`dck`Yf`Z]g`H\Y`8G9`*`\$\$`U`gc`
]bX]W]HYg`cdYfU]cbU`ghUhi`g`UbX`Z]i`hVčbX]j]cbgž`5i`řca`U]W]m]g]i`H]b[`Xck`b`H`Y`; Yb`GYH`UbX`[`]j`]b[`řfi`Y`Z]řghi`d`
Z]i`hVčbX]j]cb`cZ`; Yb`GYH`Z]i`fY`H`Y`@7`8`X]gd`Um]bX]W]HYg`H`Y`Z]i`H`
- A]WčdfcWggcf`Včbfc`YX`
@7`8`X]gd`Uma`U`_`Yg`]b`Z`fa`U]h]cb`YUgmiç`fYUX`
(!`]bYž`*(`1`%`&`d])`Y`X]gd`UmI`
5i`řca`U]W]m]f]UbgZ]fg`VYřk`YYb`a`U]bg`fi`H]m]k`UbX`[`YbYfUčf`dck`Yf`
A`Ubi`U`dfc[`fUa`a`]b[`cb`ZcbhdUbY`
I`gYf]Z]YbX`mgYH]i`d`UbX`Vi`Hčb`Učci`H`
:`fcbhdUbY`dfc[`fUa`a`]b[`
F`Ya`c]Y`ghUfh`
9j`Ybhi`c[`]b[`f]ř\$]tg\ck`]b[`XUHY`UbX`ř]a`Y`
7cbfç`g`Ghcd`#`YgYřZ`A`Ubi`U`ž`5i`hcž`HYg]ž`GHUfřZ`Vi`Hčbg`5b`UXX]j]cbU`di`g\`Vi`Hčb`bYi`hřc`H`Y`@7`8`X]gd`Um]g`
i`gYX`hc`gWč`H`fci`[\`H`Y`a`cXi`Y`gřfa`YHf]b[`X]gd`Umç`

APD 110 C

Cummins
Aksa P 602



9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUV'Y hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\j c' hU[Y"
: U] h' ghd"
@ck #][\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] h' gUff"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
I bXYf#j Yf [YbYfUhc'f c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF D
: YbYfUhc'f j YfW ffYbh"

: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f'dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 h'
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$!*&9A 7 'ja a i b]mighUbxUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbxUfX"


'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbx'ih\Ug\][\ YZ]VbYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']'Zcf'%&j c'hUbX'&+Z']'Zcf'&'(]'
#bdi h% , ' !&* (j c'h57 "'Dfc]bY'&(\$) \Ug'Z' mci hdi hg\chV'VW]hdfchVW]cb'UbX'ihVWb'VY i gYX'Ug'U'VW'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf'\Ug'\][\ YZ]VbYVW'cb["]Z'Z'ck ZU]i fY'fUfYz'][\hk Y][\hUbX'ck \YUhfUX]UfYX]b
UVW'cfXUbW'k]h']'bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX]bdi hUbX'ci hdi h]md]VW'm(_J 'Zcf'\][\ fY']UV]]h'f

APD 110 C

Cummins
Akso P 602



5GA) !



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set.
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 Base frame -fuel tank.
- 9 Lifting Points.
- 10 sound proofing materials.

f) !&+)

ž

ž

ž

ž

ž

ž

ž

	"	1070
f) "L	"	3120
f) "L	"	1720
	L	195