

APD 33 A

Aksa
Aksa
P 602



ISO8528

GC ;) &

SZUTEST

GC - \$\$\$%

CE

2000/14/EC

&\$\$\$#(#

z) \$ z' \$z'D:

	"	"	"	"	Amp
400/230	33,00	26,40	30,00	24,00	43,00

fP GDE

=GC ;) &

) & z

fDF DE

%\$!

% % %&

=GC " \$(**

z&(

=GC

Standard Specifications

z

fl ! E

z <

<http://www.brizmotors.ru/equipment/aksa/>

ALTERNATOR

TRANSFER SWITCH

APD 33 A

Aksa
Aksa P 602

Manufacturer		Aksa			
Model		A4CRX25T			
		<table border="1"> <tr> <td>% \$ \$ ' "# "</td> </tr> <tr> <td>&- ž+\$' "</td> </tr> <tr> <td>0-ž \$<DQ</td> </tr> </table>	% \$ \$ ' "# "	&- ž+\$' "	0-ž \$<DQ
% \$ \$ ' "# "					
&- ž+\$' "					
0-ž \$<DQ					
	L	2,540			
	"	90 X 95			
		18.0:1			
	fl # ı	"# " 1500			
	fl ı	L 8,50			
	L	11,00			
AbsorbedAirDischargeReSourceKey.Text	' # "	2,40			
	' # "	115,00			
	' # "	6,10			
	° C	420,00			
		12 V d.c.			
	Load	%\$ \$ı			
	# "	6,80			

		Aksa
		AK225
	Hz	50
	"	31,30
		3
	fl ı	400/230
	A	45,00

		fl ı		fl ı	
	"	"	"	"	L
APD 33 A	680,00	1500,00	900,00	1060,00	95,00
		fl ı		fl ı	
	"	"	"	"	L
ASM 3	800.00	1940	970	1220	95

APD 33 A

Aksa
Aksa P 602

9B: 49
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUV'Y hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] h' ghcd"
@ck #][\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] h' ghUf"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
I bXYf#j Yf [YbYfUhc'f c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f j YfW ffYbh"

: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f'dL
@c'W'gYh]b['dUfUa YH'fg'UbX'a cb]h'f]b['Zca 'D7 h'
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW'cb'fa Ul '* 'a H'

9'YVW'VW' GUZYhm#9A 7 V'c'a dUfV']hm6G'9B *\$-) \$
9'YVW'VW' Vi g]bYgg'Yei]da Ybh'
6G'9B *%\$!*&9A 7]a a i b]mighUbxUfX"
6G'9B *%\$!*('9A 7 Ya]gg]cb'ghUbxUfX"

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 H'VW'bc'c[mUbX'ih\Ug\][\ YZ]V'YVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUW'f]gh]W]g'j YfmV'cgY' h'c'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']' Z'f'&] c'hUbX'&+Z']' Z'f'&']' "
#bdi h% , ' !&* (j c'h57 "" Dfc]bY' &(\$) \Ug'Z' mci hdi hg\chV'VW]hdfchV'W]cb'UbX'ihVWb'VY' i gYX'Ug'U'VW'ffYbhgci fVW"
Dfc]bY' %&\$) #&(\$) VUf[Yf\Ug\][\ YZ]V'YVW'cb["]Z'Z' c'k ZU]i fY'fUfYz'][\ hk Y][\ hUbX' c'k \ YUhfUX]UfYX']b
UVV'cfXUbW' k]h']'bYUf'U'HYfbU]h'j Yg' H\Y' VUf[Yf]g' Z'hYX'k]h' U'dfchV'W]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VY'hk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f' h' fYXi V'Y'YVW'VW' bc]gY'fUX]UfYX'
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]d]VW'm(_J' Z'f'\][\ fY']UV']]m'

APD 33 A

Aksa
Aksa P 602

5GA " !'



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 Base frame -fuel tank.
- 9 Lifting Points.
- 10 sound proofing materials.

f) !&+)

ž

ž

ž

ž

ž

ž

ž

	"	970
f) "L	"	1940
f) "L	"	1220
	L	95