


AJD 45

John Deere
Mecc Alte
P 602



ISO8528

GC ;) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

| | " | " | " | " | Amp |
|---------|-------|-------|-------|-------|-------|
| 400/230 | 45,00 | 36,00 | 40,00 | 32,00 | 58,00 |

fP GDE

GC ;) &

) & z

fDF DE

%\$!

% %&

GC " \$(**

z&(

GC

Standard Specifications

z

fl

!

E

z

z

ALTERNATOR

TRANSFER SWITCH

AJD 45

John Deere
Mecc Alte
P 602

| | | | |
|--------------------------------------|------------|----------------|-----------|
| Manufacturer | John Deere | | |
| Model | 3029 T | | |
| | | % \$ \$ ' "# " | |
| | | (& \$ \$ ' " | |
| | | Q * \$ \$ < DQ | |
| | L | 2,900 | |
| | " | 106 X 110 | |
| | | 17,2:1 | |
| | fl # ı | "# " | 1500 |
| | fl ı | L | 8,50 |
| | | L | 23,00 |
| AbsorbedAirDischargeReSourceKey.Text | ' # " | 3,20 | |
| | ' # " | 92,00 | |
| fl ' # ı | ' # " | 7,60 | |
| | ° C | 609,00 | |
| | | 12 V d.c. | |
| | Load | % \$ \$ ı | ' +) ı |
| | # " |) \$ ı | |
| | | 9,80 | 7,50 5,30 |

| | | |
|-----|------|-------------|
| | | Mecc Alte |
| | | ECO 32-3S/4 |
| | Hz | 50 |
| | " | 42,50 |
| 7cg | | 0,80 |
| | | 3 |
| | fl ı | 400/230 |

| | | | | | |
|--------|--------|---------|--------|---------|--------|
| | | fl ı | | fl ı | |
| | " | " | " | " | L |
| AJD 45 | 830,00 | 1780,00 | 950,00 | 1132,00 | 105,00 |
| | | fl ı | | fl ı | |
| | " | " | " | " | L |
| AK 30 | 1050 | 2466 | 957 | 1390 | 105 |

AJD 45

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gHh g'X]gd'Um'
- 2 8]gd'UmgVc''Vi Hrcb''
- 3 DU[Yf]bZcfa U]cbk'Vi Hrcb''
- 4 7 ca a cb U'Ufa]bX]W]rcf''
- 5 GHh g'@98fj''
- 6 C dYfU]cb'gY'YV]b['Vi Hrcbg''

8G9za cXY''\$&\$'5i hc A U]bg: U]i fy Vebfc''a cXi Y''
6UHYfmVUf[Yf]bdi h%, !&* (j c'h'zci rdi h''&+Z' J) '5'f&(J Ecf'% z' J c'h) 5'f&J k
9a Yf[YbVhrcd' di g\ 'Vi Hrcb'UbX Z] gYg Z'fVebfc''V]fV]rg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UfY'WYa]W'zdfY!VtU]b['cZghY''dfcj]XYg Veffcg]cb
fYg]ghbghi fZUW''Dc'mYgYfVta dcg]Y' dck XYf'rcdVtU]hZcfa g\ \ ['cgg'UbX'YI fYa Y'mXi fUV'Y Z]b]g\''@cV]UV'Y
UbX\]b[YX dUbY'Xccf' dfcj]XYg YUgmUWV'gg hc 'Vta dcbYbrg''

'7 cbfcd' dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''gHbX''@cW]YX'UhiA Y f[\ hg]XY'cZ]h Y [YbYfUrcf'gYhfK \Yb'nci
'cc_ UhiA Y; Yb''GYH'Zca '5'fYfbUrcfL

HV''8G9''\$&\$'j]g'U'gHbXUfX'Vebfc''a cXi Y'Z'f'ci f [YbYfUrcf'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Uj Y'VYYb'XYg][bYX'hc
ghUfhiUbX'ghcd'X]YgY'UbX[Ug[YbYfUrcf'gYhg''H\Y'8G9''\$&\$'a cXi Y'Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUrcf
Z]Yei YbVt'z] c'iz'W'fYb'z]Yb[]bY'c]'dfYggi fy'z'Vtc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHY'fmj'c'lg''A cXi Y
a cb]rcf'g'hA y' a U]bg'gi dd'mUbX'gk]H\W'c] Yf'hc'hA Y [YbYfUrcf'k \Yb'hA y' a U]bg'dck Yf'Z]g''H\Y'8G9''\$&\$'U'gc
]bX]W]Yg'cdYfU]cbU'ghUhi g'UbX'Z]i 'hVebX]h]cbg'z'5i hca U]hW'mg\i H]b['Xck b'hA Y; Yb''GYhUbX[]j]b['fhi Y'Z]fghi d
Z]i 'hVebX]h]cb'cZ; Yb''GYhZ]i fy''H\Y'@7 8 X]gd'Um]bX]W]Yg'hA Y'Z]i 'H

A]WcdfcW'ggcf'Vebfc''YX''
@7 8 X]gd'Uma U_Yg]bZcfa U]cb'YUgmhc'fYUX''
(!]bYz*(1 '% &d] Y'X]gd'Um'

5i hca U]hW'mifUbgZ'fg'VYk'YYb'a U]bg'fi H]h'hc'UbX[YbYfUrcf'dck Yf''
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'mgYHi d'UbX'Vi Hrcb''Unci H'
: fcbhdUbY'dfc[fUa a]b[''
F Ya cHY'ghUfH'
9j Ybh'c[[]b['f]s]kg\ck]b['XUfY'UbX'hA Y''
7 cbfcd'g' Ghcd#F YgYhZ'A Ubi U'z'5i hc'z'HYgh'GHUf'z'Vi Hrcbg''5b'UXX]h]cbU'di g\ 'Vi Hrcb'bYI hrc'hA Y'@7 8 X]gd'Um]g
i gYX'hc'gVc''h'fci [\ hA y'a cXi Y'gfia YH'f]b['X]gd'Umg''

AJD 45

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghcd"
@ck #:[\] [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c' UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' ghUf"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c' UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f] fYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'WV'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh
6G'9B '*%\$!*&9A 7 'ja a i b]mighUbXUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbXUfX"

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\] [\ YZ]VbYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWVf]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z'] 'Zcf'%&j'c'hUbX'&+Z'] 'Zcf'&'('] "
#bdi h% , ' !&* (' j c'h57 "' Dfc]bY'&(\$) \Ug'Z' 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf\Ug\] [\ YZ]VbYVW'cb[']Z'Z' 'ck ZU]i fY'fUYZ'] [\ hk Y] [\ hUbX' 'ck \YUhfUX]UfYX']b
UVV'cfXUbW'k]h']bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW'; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW'm(_J 'Zcf\] [\ fY']UV]]h'f

AJD 45

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Base frame -fuel tank.
- 6 Lockable, large doors on each side.
- 7 Lifting Points

| | | |
|-------|---|------|
| | " | 957 |
| fl "L | " | 2466 |
| fl "L | " | 1390 |
| | L | 105 |