

AJD 75

John Deere
Mecc Alte
P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$%
CE	

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	"	"	"	Amp
400/230	75,00	60,00	68,00	54,40	98,00

fP GDE GC ;) &

fDF D% \$i % %& GC " \$(* z&(GC

Standard Specifications

z

fl ! E

z

z

1

fl

ALTERNATOR

fl

fl " E

fl " \$ E

TRANSFER SWITCH

fl

AJD 75

John Deere
Mecc Alte
P 602

Manufacturer		John Deere		
Model		4045 T		
		% \$\$\$' "# "		
		+\$\$\$\$' "		
		G (\$\$\$<DQ		
	L	4,500		
	"	106 X127		
		17:1		
	fl # ı	"# "	1500	
	fl ı	L	13,20	
		L	32,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	4,60		
	' # "	108,00		
	' # "	12,20		
	° C	538,00		
		12 V d.c.		
	Load	%\$\$ı	'+)ı)\$ı
	# "			
		16,00	12,20	8,10

		Mecc Alte		
		ECO 32-3L/4		
	Hz	50		
	"	70,00		
7cg'		0,80		
		3		
	ıfl ı	400/230		
	A	101,00		
Temperature		H		

		ıfl ı		ıfl ı	
	"	"	"	"	L
AJD 75	1050,00	2150,00	1050,00	1459,00	240,00
		ıfl ı		ıfl ı	
	"	"	"	"	L
AK 40	1400	3100	1057	1670	240

AJD 75

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUrcf''
- 5 GHUhi g'@98fg''
- 6 C dYfUUhcb'gY'YVW]b['Vi hrcbg''

8G9za cXY''\$&\$'5i hc A U]bg: U]i fy Vebfc''a cXi Y''
6UHYfmVUf[Yf]bdi h%, !&* (j c'hZci rdi h''&+Z' J) '5'f&(J Ecf'% z' J c'h) 5'f&J k
9a Yf[YbVhrcd'di g\ 'Vi hrcb'UbX Z] gYg ZcfVebfc''V]fV]jg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]W'zdfY!VtUh]b['cZghYY'dfcj]XYg Veffcg]cb
fYg]ghbghi fZUW''Dc'mYgYfVta dcg]Y' dck XYf'rcdVtUhZcfa g\] [\ ['cgg'UbX'YI fYa Y'mXi fUV'Y Z]b]g\''@cV]UV'Y
UbX\]b[YX'dUbY'Xccf'dfcj]XYg YUgmUWV]gg'hc'Vta dcbYbrg''

'7 cblfc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@cW]HYX'UhihY'f[\hig]XY'cZhY [YbYfUrcf'gyhfk \Yb'nci
'cc_'UhihY; Yb''GYH'Zca '5'fYfbUrcfL

HV''8G9''\$&\$]g'U'ghUbXUfX'Veblfc''a cXi Y'Zfc'i f [YbYfUrcf'gyhg'i d'hc'&\$\$_J 5'UbX'ih\Uj Y'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX [Ug[YbYfUrcf'gyhg''H\Y'8G9''\$&\$'a cXi Y'Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUrcf
ZYei YbVtZj c'bz'W'fYbZ'Yb[]bY'c]'dfYggi fyZVtc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHY'fmj'c'hg''A cXi Y
a cb]rcf'g'hY'a U]bg'gi dd'mUbX'gk]W'c] Yf'hc'hY [YbYfUrcf'k \Yb'hY'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]W]Yg'cdYfUUhcbU'ghUhi g'UbX'ZU]i h'VeBx]h]cbgZ'5i hca Uh]W'mg\i h]b['Xck b'hY; Yb''GYhUbX []]b['fhi Y'Z]fghi d
ZU]i h'VeBx]h]cb'cZ; Yb''GYhZU]i fy''H\Y'@7 8'X]gd'Um]bX]W]Yg'hY'ZU]i 'H

A]W'cdfcW'ggcf'Veblfc''YX''
@7 8'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX''
(!]'bYZ*(1 '% &d]]Y'X]gd'Um'

5i hca Uh]W'mifUbgZ'fg'VYk'YYb'a U]bg'fi h]h'hc'UbX [YbYfUrcf'dck Yf''
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'mgYHi d'UbX'Vi hrcb''Urci H'
: fcbhdUbY'dfc[fUa a]b[''
F Ya cHY'ghUfH'
9j Ybh'c[[]b['f%\$kg\ck]b['XUfY'UbX'hja Y''
7 cblfc'g' Ghcd#F YgYhZ'A Ubi U'Z'5i hcZ'HYghZ'GHUfz'Vi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYI hrc'hY'@7 8'X]gd'Um]g
i gYX'hc'gVfc''h'fci [\ hY'a cXi Y'gfia YH'f]b['X]gd'Um]g''

AJD 75

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&! @ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghd"
@ck #:[\] [YbYfUhc'f] c' hU[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gUff"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f] c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f] YfW'ffYbh"


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bhU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7' hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 V'c'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da Ybh
6G'9B '*%\$ \$! *! & 9A 7]a a i b]migtUbXUfX"
6G'9B '*%\$ \$! *! ('9A 7 Ya]gg]cb'ghUbXUfX"

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug\] [\ YZ]VbYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWVf]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']'Zcf'%&j'c'hUbX'&+Z']'Zcf'&'(]'
#bdi h% , ' ! &* (j c'h57 "' Dfc]bY'&(\$) \Ug'Z' mci hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'VW'ffYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf\Ug\] [\ YZ]VbYVW'cb[]Z'Z'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX'ck \YUhfUX]UfYX']b
UVV'cfXUbW'k]h']'bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi VV'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]md]VW'm(_J 'Zcf'\] [\ fY']UV]]h'f

AJD 75

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1057
fl "L	"	3100
fl "L	"	1670
	L	240