

AJD 33

John Deere
Mecc Alte
P 602



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$%
CE						

2000/14/EC

&\$\$\$#(#

z) \$ z'z' D:

	"	kw	"	kw	Amp
400/230	33,00	26,40	28,00	22,40	40,00

fP GDE

fDF DE

z & (

GC " \$ (*

Standard Specifications

z

fl ! E

z

z

ALTERNATOR

fl

fl " E

fP \$\$\$# \$\$\$

fl " \$ E

TRANSFER SWITCH

fl

AJD 33

John Deere
Mecc Alte
P 602

1

Manufacturer		John Deere		
Model		3029 D		
		% \$ \$	"# "	
		31,00 kw [41,00HP]		
	L	2,900		
	"	106 X 110		
		17,2:1		
	fl # ı	"# "	1500	
	fl ı	L	6,00	
		L	15,50	
AbsorbedAirDischargeReSourceKey.Text	' # "	1,80		
	' # "	81,00		
	' # "	610,00		
	° C	555,00		
		12 V d.c.		
	Load	% \$ \$ı	'+)ı) \$ı
	# "	6,80	5,20	3,60

2

		Mecc Alte		
		ECO 28-VL/4		
	Hz	50		
	"	30,00		
7cg		0,80		
		3		
	fl ı	400/230		
	A	43,00		
Temperature		H		

3

		fl ı		fl ı	
	"	"	"	"	L
AJD 33	720,00	1490,00	900,00	1223,00	70,00
		fl ı		fl ı	
	"	"	"	"	L
AK 20	900	2100	960	1370	70

AJD 33

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUrcf''
- 5 GHUhi g'@98fg''
- 6 C dYfU]hcb'gY'YVW]b['Vi hrcbg''

8G9ža cXY''\$&\$'5i hc' A U]bg': U]i fy Vëbfc''a cXi 'Y'
6UHYfmVUf[Yf]'bdi h%, !&*('j c'hžci rdi h''&+ž' J) '5'f&('J E'cf%' ž' J c'h) 5'f&J k
9a Yf[YbVhrcd' di g\ 'Vi hrcb'UbX ž' gYg'Z'fVëbfc''V]fV']rg''

7 ca dcbYbrg']bghU''YX']b'g\YYhg'HY''YbWcgi fy''D\cgd\UHY'WYa]W'ždfY!VëU]b['cZghYY''dfcj]XYg Vëffcg]cb
fy]g]Ubhgi fZUW''Dc'mYgYfVëa dcg]Y' dck XYf'rcdVëU]hZcfa g\][\ ['cgg'UbX'YI fYa Y'mXi fUV'Y ž]b]g\''@cV\UV'Y
UbX\]b[YX'dUbY'Xccf'dfcj]XYg YUgmUWV'gg'hc''Vëa dcbYbrg''

'7 cblfc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@cW]HYX'Uhih'Y'f][\hig]XY'cZh'Y [YbYfUrcf'gyhfk \Yb'mci
'cc_'Uhih'Y; Yb''GYH'Zca '5'fYfbUrcfë

H\Y''8G9''\$&\$'j'g'U'ghUbXUfX'Vëbfc''a cXi 'Y'Z'f'ci f [YbYfUrcf'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX'[Ug[YbYfUrcf'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUrcf
Z'Yei YbVhžj c'ž'W'fYbž'Yb[]b'Y'c']dfYggi fyž'Vëc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHY'fmj c'hg''A cXi 'Y
a cb]rcf'g'h'Y'a U]bg'gi dd'imUbX'gk]h'W'c] Yf'hc'h'Y [YbYfUrcf'k \Yb'h'Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]W]HY'g'cdYfU]hcbU'ghUhi g'UbX'Z]i 'hVëbX]h]cbgž'5i hca U]h'W'mg\i h]b['Xck b'h'Y; Yb''GYhUbX'[]]b['fhi Y'žfghi d
Z]i 'hVëbX]h]cb'cZ; Yb''GYhZ]i fy''H\Y'@7 8'X]gd'Um]bX]W]HY'g'h'Y'Z]i 'h'

A]Wëd'fcW'ggcf'Vëbfc''YX''
@7 8'X]gd'Uma U_Yg']bZcfa Uhjcb'YUgmhc'fYUX''
(!']bYž*('1' % & d]]Y'X]gd'Um'

5i hca U]h'W'mifUbgZ'fg'VYh'YYb'a U]bg'fi h]h'hc'UbX [YbYfUrcf'dck Yf''
A Ubi U'dfc[fUa a]b['cb'Z'cbhdUbY''
I gYf]Z]YbX'mgYhi d'UbX'Vi hrcb''Unci h'
F Ya ch'Y'ghUf'h'
9j Ybh'c[[]b['f] h'g\ck]b['XUHY'UbX'h'a Y''
7 cblfc'g' Ghcd#F YgYž'A Ubi U'ž'5i hcž'HYg]ž'GHUf]ž'Vi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYI hrc'h'Y'@7 8'X]gd'Um]g'
i gYX'hc'gVfc''h'fci [\ h'Y'a cXi 'Ygfa YHf]b['X]gd'Umg''

AJD 33

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i fFYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] 'hc' ghcd"
@ck #][\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' gHfH"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf [YbYfUhc'f ZYei YbVW"
I bXYf#j Yf [YbYfUhc'f j c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF #
: YbYfUhc'f j YfW fFYbh"

: 'YI J'Y'gYbgcf'WVb VY V'c'UbhY'a dYfUhi fY'Z
dfYggi fY'Z dYfVW'bH[Y f'k Ufb]b[#]i f'Xck b# 'YVW'VW' f'f]dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]hc'f]b['Zca 'D7 'hc
V'c'UbhY'a cXi 'Y k]h 'I G6 V'c'UbhY'a dYfUhi fY'Z

9'YVW'VW' 'GUZYhm#9A 7 'V'c'UbhY'a dYfUhi fY'Z
9'YVW'VW' 'Vi g]bYgg' 'Yei]da Ybh'
6G'9B '*%\$#!*!&9A 7 'ja a i b]mighUbxUfX"
6G'9B '*%\$#!*!('9A 7 'Ya]gg]cb'ghUbxUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h 'gk]hVW]b[!a cXY'UbX'GA 8 'fVW'bc'c[mUbx'ih\Ug\][\ YZ]VW'VW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUW'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g']'Ua dYfZ'% ž 'J 'Zcf'%&j c'hUbX'&+Z' 'J 'Zcf'&'('J '
#bdi h% , 'I &'(j c'h57""'Dfc]bY'&(\$) \Ug'Z 'mici hdi hg\chVW]b]hdfchVW]cb'UbX'ihVWb'VY i gYX'Ug'U'W'fYbhgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf\Ug\][\ YZ]VW'VW'cb[']Z'Z'ck ZU]i fY'fUfY'Z][\hk Y][\hUbX'ck \YUhfUX]UfYX]b
UVV'cfXUbW'k]h ']bYUf'U'fYbU]h'j Yg' H\Y'VUf[Yf]g'Z]hYX'k]h 'U'dfchVW]cb X]cXY'UV'cgg'hY'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk Yyb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h 'F: =Z]hYf'hc'fYXi VV'Y'YVW'VW'bc]gY'fUX]UfYX
Zca 'hY'XY'jVW"; Uj Ub]W' m]gc'UfYX]bdi hUbX'ci hdi h]m]d]VW'm(_J 'Zcf\][\ fY']UV]]m'

AJD 33

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam metarial
- 7 Base frame -tank

	"	960
fl "L	"	2100
fl "L	"	1370
	L	70