


AJD 110

John Deere
Mecc Alte
P 602



ISO8528

GC ;) &

SZUTEST

GC - \$\$\$



2000/14/EC

&\$\$\$#(#

ž) \$' ž'ž' D:

	"	"	"	"	Amp
400/230	110,00	88,00	100,00	80,00	145,00

fPQDE

GC ;) &

) & ž

fDF DE

%\$1

%

%&

GC " \$(**

ž&(

GC

ALTERNATOR

TRANSFER SWITCH

AJD 110

John Deere
Mecc Alte
P 602

Manufacturer		John Deere														
Model		4045 H														
		<table border="1"> <tr> <td>%</td> <td>\$</td> <td>#</td> <td>"</td> </tr> <tr> <td>%</td> <td>&</td> <td>\$</td> <td>"</td> </tr> <tr> <td>0%</td> <td>+Z</td> <td>\$</td> <td>< DQ</td> </tr> </table>			%	\$	#	"	%	&	\$	"	0%	+Z	\$	< DQ
%	\$	#	"													
%	&	\$	"													
0%	+Z	\$	< DQ													
	L	4,500														
	"	106 X127														
		17:1														
	fl # ı	"# "	1500													
	fl ı	L	17,00													
		L	32,00													
AbsorbedAirDischargeReSourceKey.Text	' # "	7,00														
	' # "	159,00														
	' # "	18,70														
	° C	565,00														
		12 V d.c.														
	Load	%\$ı	'+)ı)\$ı												
	# "	27,60	19,40	13,50												

		Mecc Alte		
		ECP34 - 2S/4		
	Hz	50		
	"	105,00		
7cg'		0,80		
		3		
	ıfl ı	400/230		
	A	151,00		

		ıfl ı		ıfl ı	
	"	"	"	"	L
AJD 110	1200,00	2150,00	1050,00	1450,00	240,00
		ıfl ı		ıfl ı	
	"	"	"	"	L
AK 40	1550	3100	1057	1670	240

AJD 110

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUhc''
- 5 GHUhi g'@98fg''
- 6 C dYfUhc'b'gY'YVW]b['Vi hrcbg''

8G9ža cXY''\$&\$'5i hc' A U]bg': U]i fy Vëbfc''a cXi 'Y'
6UHYfmVUf[Yf]bdi h%, !&*('j c'hžci rdi h''&+ž' 'j) '5'f&('j Ecf'% ž 'j c'h) 5'f&J k
9a Yf[YbVhgrcd' di g\ 'Vi hrcb'UbX ž gYg ZcfVëbfc''V]fVW]hg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]WždfY!VëUhb['cZghYY''dfcj]XYg Vëffcg]cb
fyg]ghUbhgi fZUW''Dc'mYgYfVëa dcg]Y' dck XYf' hcdVëUhZcfa g\][\ ['cgg'UbX'YI hYa Y'mXi fUV'Y ž]b]g\''@cW\UV'Y
UbX\]b[YX'dUbY'Xccf' dfcj]XYg YUgmUWV'gg hc''Vëa dcbYbrg''

'7 cbfbc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@cW]HYX'UhH.Y'f[\ hg]XY'cZH.Y [YbYfUhc'f'gyhfK \Yb'mci
'cc_'UhH.Y; Yb''GYH'Zca '5'fYfbUhc'fë

H\Y''8G9''\$&\$'j'U'ghUbXUfX Vëbfc''a cXi 'Y'Zc'f'ci f [YbYfUhc'f'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX' [Ug[YbYfUhc'f'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUhc'f
ZYeI YbVhžj c'žW'fYbHžYb[]bY'c']dfYggi fyžVëc'UbhHya dYfUhi fy'fi bb]b[\ci fg'UbX' VUHYfmj c'hg''A cXi 'Y
a cb]rcf'g'h.Y'a U]bg'gi dd'mUbX'gk]H\ 'c] Yf'hc'h.Y [YbYfUhc'f'k \Yb'h.Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]W]HY'g'cdYfUhc'bU'ghUhi g'UbX'ZU'i hVëbX]h]cbgž'5i hca U]W'mg\i h]b['Xck b'h.Y; Yb''GYhUbX' []]b['hfi Y'žfghi d
ZU'i hVëbX]h]cb'cZ; Yb''GYhZU]i fy''H\Y'@7 8'X]gd'Um]bX]W]HY'g'h.Y'ZU'i 'H'

A]WëdfcW'ggcf Vëbfc''YX"
@7 8'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX"
(!]bYž*('1' % & d]]Y'X]gd'Um'

5i hca U]W'mifUbgZ'fg'VYk'YYb'a U]bg'fi h]h'hc'UbX' [YbYfUhc'f'dck Yf'
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'mgYH'i d'UbX'Vi hrcb''Uhc'i H'
F Ya cHY'ghUfH'
9j Ybh'c[[]b['f] h'g\ck]b['XUHY'UbX'h'a Y''
7 cbfbc'g' Ghcd#F YgYž'A Ubi U'ž5i hcžHYg]žGHUf]žVi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYI hrc'h.Y'@7 8'X]gd'Um]g
i gYX'hc'gVfc''h'fci [\ h.Y'a cXi 'Ygfa YHf]b['X]gd'Umg'

AJD 110

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i fFYbhf@&!@ ' "
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn'
A U]bg'YbUV'YX"
; Yb"GYhfYUXn'
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #:[\] c' hU[Y"
: U] 'hc' ghcd"
@ck #:[\] [YbYfUhc'f'j c' hU[Y"
I bXYf#j Yf[YbYfUhc'f'Z'Yei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] 'hc' ghUf"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f'Z'Yei YbVW"
I bXYf#j Yf[YbYfUhc'f'j c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f'j YfW'fYbH'


: 'YI J'V'Y'gYbgcf'WVb VY V'c'bfcc'YX'k]h' h'Ya dYfUhi fYz
dfYggi fYz dYfVW'bHU[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'WV'gYh]b['dUfUa YH'fg'UbX'a cb]h'f]b['Zca 'D7 'hc
V'c'bfcc' a cXi 'Y'k]h' I G6 V'c'bbYVW]cb'fa Ul '* 'a H'

9'YVW]VW' GUZYhm#9A 7 'V'a dUfV]]hm6G'9B '* \$-) \$
9'YVW]VW' Vi g]bYgg'Yei]da YbH'
6G'9B '*%\$!*&9A 7 'ja a i b]mighUbxUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbxUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'W]b[!a cXY'UbX'GA 8 'H'V'bc'c[mUbx'ih\Ug\] [\ YZ]VW'YbVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUW'f]gh]W]g'j YfmV'cgY'hc'gei UfY'UbX'ci hdi h]g'] 'Ua dYfz% z'] 'Zcf'%&j'c'hUbX'&+Z'] 'Zcf'&'('] '
#bdi h% , ' !&* ('j c'h57 "'Dfc]bY'&(\$) \Ug'Z' 'mici hdi hg\chVW]hdfchVW]cb'UbX'ihVWb'VY'i gYX'Ug'U'W'fYb'hgci fVW"
Dfc]bY'%&\$) #&(\$) VUf[Yf'\Ug'\] [\ YZ]VW'YbVW'cb[']Z'Z' 'ck ZU]i fY'fUfYz'] [\ hk Y] [\ hUbX' 'ck \YUhfUX]UfYX']b
UVW'cfXUbW'k]h']'bYUf'U'fYb'Uf]j Yg' H\Y'VUf[Yf]g'Z'hYX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VY'hk Y'Yb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f'hc'fYXi V'Y'YVW]VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW'; U] Ub]W' m]gc'UfYX']bdi hUbX'ci hdi h]m]d]VW'm(_J 'Zcf'\] [\ fY']UV]]h'

AJD 110

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1057
fl "L	"	3100
fl "L	"	1670
	L	240