

<http://www.brizmotors.ru/equipment/aksa/>

Manufacturer		Aksa			
Model		A3CRX32T			
		<table border="1"> <tr> <td>%\$ \$' "# "</td> </tr> <tr> <td>' * z\$ \$' "</td> </tr> <tr> <td>Q, z\$ \$ < DQ</td> </tr> </table>	%\$ \$' "# "	' * z\$ \$' "	Q, z\$ \$ < DQ
%\$ \$' "# "					
' * z\$ \$' "					
Q, z\$ \$ < DQ					
	L	3,120			
	"	105 X 120			
		17.0:1			
	fl # 7	"# " 1500			
	fl 7	L 11,00			
	L	16,50			
AbsorbedAirDischargeReSourceKey.Text	' # "	4,30			
	' # "	120,00			
	' # "	11,20			
		12 V d.c.			
	Load	%\$ \$1			
	# "				
		8,70			

		Aksa
		AK230
	Hz	50
	"	37,50
7cg		0,80
		3
	fl 7	400/230
Temperature		H

		fl 7		fl 7	
	"	"	"	"	L
APD 40 A	892,00	1730,00	900,00	1140,00	82,00
		fl 7		fl 7	
	"	"	"	"	L
ASM 3A	1030.00	2260	970	1280	82

APD 40 A

Aksa
Aksa P 602



1 D * \$ & !



- 1 A U]b'gHh g'X]gd'Um'
- 2 8]gd'UmgVc''Vi Hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi Hrcb''
- 4 7 ca a cb U'Ufa]bX]WUrcf''
- 5 GHh g'@98fj''
- 6 C dYfUhjcb'gY'YVWb['Vi Hrcbg''

8G9ža cXY''\$&\$'5i hc' A U]bg: U]i fy Vëbfc''a cXi 'Y'
6UHYfmVUf[Yf]bdi h%, !&*('j c'hžci rdi h''&+ž' J) '5'f&('J Ecf'% ž 'J c'h) 5'f&J k
9a Yf[YbVhgrcd' di g\ 'Vi Hrcb'UbX ž gYg ZcfVëbfc''VfVW]fjg''

7 ca dcbYbrj]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]WždfY!VëUhj['cZghYY'dfcj]XYg Vëffcg]cb
fYg]ghbghi fZUW''Dc'mYghYfVëa dcg]Y' dck XYf'rcdVëUhZcfa g\ \ ['cgg'UbX'YI HfYa Y'mXi fUV'Y ž]b]g\''@cW\UV'Y
UbX\]b[YX'dUbY'Xccf' dfcj]XYg YUgmUWV'gg hc''Vëa dcbYbrj''

'7 cblfc''dUbY''j]g'a ci bHYX'cb VUgYZUa Y k]h' ghY''ghUbX''@WUHY'UhihY'f[\hig]XY'cZhY [YbYfUrcf'gyHfK \Yb'nci
'cc_'UhihY; Yb''GYH'Zca '5'fYfbUrcfL

HV''8G9''\$&\$'j'U'ghUbXUfX Vëbfc''a cXi 'Y'Zfc' f [YbYfUrcf'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Uj Y'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY' UbX' [Ug[YbYfUrcf'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUrcf
ZfYei YbVhžj c'žW'fYbHžYb[]bY'c]'dfYggi fYžVëc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX' VUHY'fmj'c'fj''A cXi 'Y
a cb]rcf'g'hY'a U]bg'gi dd'mUbX'gk]H\W'c] Yf'hc'hY' [YbYfUrcf'k \Yb'hY'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]WUHY'g'cdYfUhjcbU'ghUhi g'UbX'Zji 'hVëbX]hcbgž'5i hca Uh]W'mg\i H]b['Xck b'hY; Yb''GYhUbX' []]b['fhi Y'žfghi d
Zji 'hVëbX]hcb'cZ; Yb''GYhZU]i fy''H\Y'@7 8'X]gd'Um]bX]WUHY'g'hY'Zji 'H'

A]WëdfcW'ggcf'Vëbfc''YX"
@7 8'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX"
(!]bYž*('1'% &d]]Y'X]gd'Um'

5i hca Uh]W'mifUbgZf'g'VYk'YYb'a U]bg'fi H]hnt'UbX' [YbYfUrcf'dck Yf'
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'mgYH'i d'UbX'Vi Hrcb''Unci H'
: fcbhdUbY'dfc[fUa a]b[''
F Ya cHY'ghUfH'
9j Ybh'c[[]b['f]g\g\ck]b['XUfY'UbX'hja Y''
7 cblfc'g' Ghcd#F YgYhZ' A Ubi U'ž5i hcžHYghZ'GHUfz'Vi Hrcbg''5b'UXX]hcbU'di g\ 'Vi Hrcb'bYI hrc'hY'@7 8'X]gd'Um]g
i gYX'hc'gVëc''h'fci [\hY'a cXi 'Ygfa YHf]b['X]gd'Um]g''

APD 40 A

Aksa
Aksa P 602



9B: 49
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUV'Y hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i ffYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\j c' hU[Y"
: U] h' ghcd"
@ck #][\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf [YbYfUhc'f fYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] h' ghUf"
9a Yf [YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf [YbYfUhc'f fYei YbVW"
I bXYf#j Yf [YbYfUhc'f c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF D
: YbYfUhc'f j YfW ffYbh"

: 'YI J'Y'gYbgcf'WVb VY V'c'UbhY'a dYfUhi fY'Z
dfYggi fY'Z dYfVW'bhU[Y f'k Ufb]b[#]i f'Xck b# 'YVW'VW' h'f'dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 h'
V'c'UbhY'a cXi 'Y k]h' I G6 V'c'bbYVW'cb'fa Ul '* 'a H'

9'YVW'VW' GUZYhm#9A 7 'V'a dUfV']hm6G'9B '* \$-) \$
9'YVW'VW' Vi g]bYgg'Yei]da Ybh'
6G'9B '*%\$!*&9A 7 'ja a i b]mighUbxUfX"
6G'9B '*%\$!*('9A 7 'Ya]gg]cb'ghUbxUfX"


'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' gk]hVW]b[!a cXY'UbX'GA 8 'YVW'bc'c[mUbX'ih\Ug \][\ YZ]VbYVW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUWV'f]gh]W]g'j YfmV'cgY' h'c'gei UfY'UbX'ci hdi h]g']'Ua dYfz% z']' Zcf'%&j c'hUbX'&+z']' Zcf'&'(]'
#odi h% , ' !&* (j c'h57 "" Dfc]bY'&(\$) \Ug'Z 'mici hdi hg\chVWV]hdfchVW]cb'UbX'ihVWb'VY i gYX'Ug'U'W'ffYbhgci fVW"
Dfc]bY'&(\$) #&(\$) VUf[Yf\Ug \][\ YZ]VbYVW'cb["]Z'Z'ck ZU]i fY'fUfYz'][\hk Y][\hUbX'ck \YUhfUX]UfYX]b
UVV'cfXUbW'k]h']'bYUf'U'HYfbU]h'j Yg' H\Y'VUf[Yf]g'Z]hYX'k]h' U'dfchVW]cb'X]cXY'UV'cgg'hY'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYhk YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]hYf' h' fYXi VV'Y'YVW'VW'bc]gY'fUX]UfYX
Zca 'hY'XYj]VW'; Uj Ub]W' m]gc'UfYX]odi hUbX'ci hdi h]m]VW'm(_J' Zcf \][\ fY']UV]]m'

APD 40 A

Aksa
Aksa P 602



5GA " 5!"



- 1 Steel structures.
- 2 Emergency stop push button.
- 3 Control panel is mounted on the baseframe . Located at the right side of the generator set
- 4 Corrosion-resistant locks and hinges.
- 5 oil could be drained via valve and a hose
- 6 Exhaust system in the canopy.
- 7 special large access doors for easy maintenance
- 8 Base frame -fuel tank.
- 9 Lifting Points.
- 10 sound proofing materials.

5

	"	970
fı "L	"	2260
fı "L	"	1280
	L	82